

# THERMOSET COMPOSITION, METHOD, AND ARTICLE

## Abstract of Disclosure

A curable composition includes a functionalized poly(arylene ether); an alkenyl aromatic monomer; an acryloyl monomer; and a polymeric additive having a glass transition temperature less than or equal to 100 ° C and a Young's modulus less than or equal to 1000 megapascals at 25 ° C. The polymeric additive is soluble in the combined functionalized poly(arylene ether), alkenyl aromatic monomer, and acryloyl monomer at a temperature less than or equal to 50 ° C. The composition exhibits low shrinkage on curing and improved surface smoothness. It is useful, for example, in the manufacture of automotive body panels.

Tipe		Kategori		Sub-kategori		Detail		Keterangan	
No	Detail	No	Detail	No	Detail	No	Detail	No	Detail
1	...	2	...	3	...	4	...	5	...
6	...	7	...	8	...	9	...	10	...
11	...	12	...	13	...	14	...	15	...
16	...	17	...	18	...	19	...	20	...
21	...	22	...	23	...	24	...	25	...
26	...	27	...	28	...	29	...	30	...
31	...	32	...	33	...	34	...	35	...
36	...	37	...	38	...	39	...	40	...
41	...	42	...	43	...	44	...	45	...
46	...	47	...	48	...	49	...	50	...
51	...	52	...	53	...	54	...	55	...
56	...	57	...	58	...	59	...	60	...
61	...	62	...	63	...	64	...	65	...
66	...	67	...	68	...	69	...	70	...
71	...	72	...	73	...	74	...	75	...
76	...	77	...	78	...	79	...	80	...
81	...	82	...	83	...	84	...	85	...
86	...	87	...	88	...	89	...	90	...
91	...	92	...	93	...	94	...	95	...
96	...	97	...	98	...	99	...	100	...